

WE CLAIM:

1. A facia system comprising:

a first member and a second member;

said first member having an upper section designed for securement to a roof;

a drip edge formed at an extremity of said upper section;

a second lower section which includes a generally vertically extending portion, said generally vertically extending portion having first cooperative locking means associated therewith;

said second member comprising a facia member having second cooperating locking means at an upper portion thereof, said first and second cooperative locking means being designed such that first cooperative locking means hold said facia member in position, said second member having a generally planer central portion; and

an inwardly extending flange arrangement at a bottom end of said generally planer portion to abut an adjoining soffit.

2. The facia system of Claim 1 wherein said upper section includes a first portion for securement to said roof and a second portion angled downwardly with respect to said first portion.

3. The facia system of Claim 1 wherein said first member and second member are formed of a metallic sheet material.

4. The facia system of Claim 3 wherein said sheet material is aluminum.

5. The facia system of Claim 1 wherein said second cooperative locking means comprises a plurality of outwardly extending projections and said first cooperative locking

means comprises recess portions to receive said projections such that said second member is supported by said first member.

6. The fascia system of Claim 1 wherein second member has a plurality of spacing projections formed on said generally planer central portion.

7. The fascia system of Claim 1 wherein said lower section of said first member has a first portion extending upwardly and inwardly from said drip edge and a second portion extending downwardly and inwardly to said generally vertically extending portion.

8. The fascia system of Claim 1 further including a tensioning member, said tensioning member being designed to be secured to a building structure and to contact said inwardly extending flange arrangement of said second member.

9. In a building having a roof structure including a plurality of sloping rafters extending beyond an adjacent wall structure and which sloping rafters terminate in a fascia, and wherein said rafters are covered by a roofing material, the improvement comprising a fascia system, said fascia system comprising:

a first member and a second member;

said first member having an upper section secured to said rafters under said roofing material;

a drip edge formed at an extremity of said upper section;

a second lower section which includes a generally vertically extending portion, said generally vertically extending portion having first cooperative locking means thereon;

said second member comprising a fascia member having second cooperating locking means at an upper portion thereof, said first and second cooperating locking members being engaged such that said fascia member is held in position;

said second member having a generally planar central portion; and

an inwardly extending flange arrangement at a bottom end of said generally planar portion, said inwardly extending flange abutting an adjoining soffit.

10. The improvement of Claim 9 wherein said first member and said second member are formed of a metallic sheet material.